

# RA RA型中实单活塞回转气缸


## RA TYPE SOLID ROTARY AIR CYLINDER

- 回转阀体经特殊设计，能使压缩空气的消耗量节减，充分发挥高校经济效益。
- 特殊轻铝合金制造而成，内部零部件采用进口原件，能高速旋转，运行平衡，高寿命，低惯量。
- 使用时请混入微量油雾。
- 可根据客户要求定制。

- The rotary valve body is specially designed to reduce the consumption of compressed air and make full use of the efficient economic benefits.
- Special light aluminum alloy manufacturing, internal components adopt imported original, can rotate high-speed, operation balance, high life, low inertia.
- When used, mix in the mist.
- Can be customized according to customer's requirement.



### 尺寸图 Dimensions



### 规格表 Specification

单位/UNT:mm

型号 Model	活塞面积(cm <sup>2</sup> ) Piston area (cm <sup>2</sup> )		行程 Stroke (mm)	最高回转速度 min(r.p.m) Highest turnover number	最高使用压力 MPa(kgf/cm <sup>2</sup> ) Maximum working pressure	GD <sup>2</sup> Kg.m <sup>2</sup>	净重 Weight (kg)
	推侧And side	拉侧Pull side					
RA-100	77.0	74.4	15	6000	0.8 (8)	0.03	4.5
RA-130	131.2	124.7	15	5000	0.8 (8)	0.05	5.2
RA-170	225.4	219.0	20	5000	0.8 (8)	0.18	8.5
RA-220	378.6	369.3	25	4000	0.8 (8)	0.36	14.5

型号 Model	A	B	C	D	E (h7)	F	G (max)	G (min)	H	J	K	L	M (h8)
RA-100	100	130	-	80	60	22	50	35	65	160	M12×1.75	6-M8×16	13
RA-130	130	160	120	90	65	25	45	30	70	165	M16×2.0	6-M8×16	17
RA-170	170	200	140	100	80	25	45	25	85	180	M16×2.0	6-M10×18	17
RA-220	220	255	170	130	110	30	50	25	91	186	M20×2.5	6-M12×20	21